





# RETAIL ORDER GUIDE - 2020 MODELS 1967 SHELBY GT500 2+2 FASTBACK

### **MAJOR PRODUCT CHANGES**

### **FUNCTIONAL**

WAVETRAC™ TORQUE BIASING LIMITED SLIP DIFFERENTIAL

# **NEW STANDARD EQUIPMENT**

- · WHEEL, CLASSIC TORQ THRUST by AMERICAN RACING
- TIRE, NITTO NT555G2 HIGH PERFORMANCE, 245/45ZR17 FRONT, 275/45ZR17 REAR
- SEVERE DUTY ENGINE COOLING PACKAGE w/ THREE ROW ALUMINUM RADIATOR AND HIGH OUTPUT FAN
- HIGH CAPACITY EXTERNAL ENGINE OIL COOLING SYSTEM
- TIRE PRESSURE MONITORING SYSTEM (TPMS)

### **NEW OPTIONAL EQUIPMENT**

- WHEEL, MAGNUM 500 by AMERICAN RACING
- WHEEL, SHELBY COBRA by AMERICAN RACING
- WHEEL, SHELBY 10-SPOKE by EVOD
- JRI DOUBLE ADJUSTABLE SHOCK ABSORBERS

### STANDARD EQUIPMENT

### **EXTERIOR**

- NEW, FORD-LICENSED ALL-STEEL BODY w/ SUBFRAME CONNECTORS AND X-BRACE FOR ADDED RIGIDITY
- "SHELBY" AND "GT500" BADGES
- "GT500" VINYL SIDE STRIPES
- SHELBY UPPER AND LOWER SIDE SCOOPS
- SHELBY FIBERGLASS HOOD w/ SCOOP AND INTEGRATED LATCHES
- DUAL OUTSIDE MIRRORS, CHROME
- WHEEL, CLASSIC TORQ THRUST VN215, 17x8 FRONT, 17x9.5 REAR
- NITTO NT555G2 HIGH PERFORMANCE TIRES, 245/45ZR17 FRONT, 275/45ZR17 REAR
- LED HEAD LAMPS
- LED CENTER MOUNTED DRIVING
   LAMPS
- LED PARK AND REVERSE LAMPS
- LED TAIL LAMPS w/ SEQUENTIAL TURN SIGNALS
- LED COURTESY LIGHTING IN EXTERIOR DOOR HANDLES
- HIDDEN ANTENNA
- BORLA 2.5" STAINLESS STEEL DUAL EXHAUST SYSTEM w/ POLISHED TIPS

## SAFETY/SECURITY

- FRONT THREE-POINT SEAT BELTS, RETRACTABLE, w/ INERTIA REEL, MEETS FMVSS 209 AND 302
- DUAL CIRCUIT BRAKING SYSTEM
- COLLAPSIBLE STEERING SHAFT
- FUEL PUMP INERTIA SWITCH
- 16 GA STEEL TRUNK FLOOR
- ROLLING CODE ENCRYPTED IGNITION SWITCH

## INTERIOR

- CFC-FREE AIR CONDITIONING
- POWER WINDOWS
- FULL-LENGTH CONSOLE w/ INTEGRATED 7"
   TOUCH SCREEN, LEATHER COVERED ARMREST,
   DUAL CUPHOLDERS, HIDDEN POWER
   WINDOW SWITCHES, DOOR LOCK SWITCH,
   USB, AND AUX INPUTS
- SHELBY DRIVER AND FRONT PASSENGER SPORT BUCKET SEATS COVERED IN PREMIUM SYNTHETIC NAPPA ARTIFICIAL LEATHER W/ PERFORATED INSERTS, POWER FORE/AFT, MANUAL RECLINE
- FOLD DOWN REAR SEAT
- DASH PAD, DOOR PANELS, AND INTERIOR TRIM PANELS COVERED IN PREMIUM SYNTHETIC NAPPA ARTIFICIAL LEATHER
- BRUSHED ALUMINUM INTERIOR ACCENTS
- HAND TRIMMED CARPETING AND FLOOR MATS
- TILT STEERING COLUMN
- WOOD RIM STEERING WHEEL w/ MACHINED REVOLOGY "R" LOGO HORN BUTTON
- 8000 RPM TACHOMETER w/ 6500RPM REDLINE
- BOOST GAUGE INTEGRATED IN CLUSTER
- LED INTERIOR LIGHTING w/ THEATER DIMMING
- DIGITAL MESSAGE CENTER
- POWER DOOR LOCKS
- REMOTE KEYLESS ENTRY w/ PROXIMITY SENSOR
- REMOTE TRUNK RELEASE
- PUSH BUTTON START
- AM/FM STEREO W/ AMPLIFIER, FOUR JL AUDIO C2 SERIES SPEAKERS, AUX INPUT, AND BLUETOOTH®
- INTERVAL WIPERS
- LED TRUNK LIGHTING
- FULLY LINED TRUNK COMPARTMENT

## **FUNCTIONAL**

- FORD/ROUSH PERFORMANCE 5.0L Ti-VCT DOHC "COYOTE" V8, SUPERCHARGED AND INTERCOOLED, RATED AT 600 HP / 475 LB.-FT. TORQUE
- HIGH CAPACITY EXTERNAL OIL COOLING SYSTEM
- SEVERE DUTY ENGINE COOLING PACKAGE w/ FACTORY DEGAS RESERVOIR
- HIGH TORQUE CAPACITY TWIN-DISC CLUTCH
- FORD 8.8" REAR END w/ 33-SPLINE AXLES AND WAVETRAC TORQUE BIASING LIMITED SLIP DIFFERENTIAL, FINNED ALUMINUM DIFFERENTIAL COVER, 1350 YOKE, 4.10 RATIO
- MOTORCRAFT AGM BATTERY w/ 760 CCA, TRUNK MOUNTED
- POWER FOUR WHEEL DISC BRAKES w/ 12.88"
  FRONT / 13" REAR SLOTTED AND VENTILATED
  ROTORS AND 6 PISTON FRONT/ 4 PISTON REAR
  CALIPERS
- HYDRAULICALLY ASSISTED POWER RACK AND PINION STEERING
- UNEQUAL LENGTH CONTROL ARM FRONT SUSPENSION w/ CAST ALUMINUM SUBFRAME
- 3-LINK REAR SUSPENSION w/ TORQUE ARM AND PANHARD ROD
- JRI NON-ADJUSTABLE COILOVER SHOCKS w/ CONSTANT RATE SPRINGS
- . ELECTRONIC PARKING BRAKE
- EMERGENCY TIRE INFLATION KIT
- REMOTE BATTERY CHARGE POSTS
- 4.3A 8-STAGE ON-BOARD TRICKLE CHARGER w/ REAR BUMPER-MOUNTED MAGNETIC CONTACT
- TIRE PRESSURE MONITORING SYSTEM (TPMS)

## WARRANTY

- 1 YEAR/UNLIMITED MILES BUMPER-TO-BUMPER
- 2 YEARS/UNLIMITED MILES POWERTRAIN
- 5 YEARS/UNLIMITED MILES RUST AND CORROSION

| MOI   | DELS              |  |        |              |
|-------|-------------------|--|--------|--------------|
|       |                   | 1967 SHELBY GT500 MANUAL   | \$     | 240,500      |
|       |                   | 600 HP, 475 LB-FT 5.0L Ti-VCT DOHC V8 supercharged engine, T-56XL 6-speed close ratio manual transmission  |        |              |
|       |                   | PACKAGES AND OPTIONS   |        |              |
| EXT   | ERIO              | R  |        |              |
| and u | ipper a<br>dening | was Shelby's top of the line offering in 1967, and it looked the part. A new front fascia, grille, hood, decklid with integend lower quarter scoops took the muscular Mustang redesign a step further. More colors and options were made averthe car's appeal. The 600HP supercharged engine in the Revology GT500 pays homage to the 428ci big block, which werful engine ever in a Mustang.  | ailabl | e,           |
| 1     | COL               | OR   |        |              |
|       |                   | Revology paint process consists of an epoxy primer, urethane primer, basecoat, and multiple clearcoats. We use exc<br>notive paint finishes for the ultimate in appearance and durability  | lusiv  | ely Glasurit |
|       |                   | SOLID  |        | Standard     |
|       |                   | Vintage colors are reformulated with modern Glasurit automotive finish products for improved appearance and durability  □ CANDY APPLE RED □ RAVEN BLACK □ WIMBLEDON WHITE  |        |              |
|       |                   | VINTAGE METALLIC   | \$     | 750          |
|       |                   | VINTAGE METALLIC  Vintage colors are reformulated with modern Glasurit automotive finish products for improved appearance and durability  ACAPULCO BLUE METALLIC BRITTANY BLUE METALLIC BRONZE METALLIC DARK BLUE METALLIC DARK MOSS GREEN METALLIC LIME GREEN METALLIC SILVER FROST METALLIC SILVER FROST METALLIC SILVER FROST METALLIC REMIUM COLORS  Modern colors from Ferrari, Porsche, Lexus, and others ARGENTO NURBURGRING CARRERA WHITE METALLIC CHALK GIALLO MODENA JET BLACK METALLIC LAVA ORANGE MIAMI BLUE NEBULA GRAY PEARL ROSSO CORSA | \$     | 1,500        |
| 2     | LeMa<br>from      | ANS STRIPES  ans stripes were a dealer-installed option on the 1967 Shelby GTs. On all Revology Shelby GTs, the stripes that run the front valance, stone deflector, grille support, hood, cowl, roof, trunk filler panel, decklid, taillamp panel, to the real ed and clear coated, leaving no perceptible transition between stripe and body color. The side stripes are made from NO LeMANS STRIPE  PAINTED LeMANS STRIPES  BLUE  WHITE  BLACK  | r vala | nce are      |

| 3   | OTHER PAINT OPTIONS   |  |    |             |  |
|-----|---|--|----|-------------|--|
|     |   | SPECIAL COLOR  | \$ | 2,500       |  |
|     |   | Revology Shelby GTs are considered continuation cars, recognized by Shelby and listed in the Shelby Registry. Special colors are subject to approval by Shelby Licensing. Multi-stage colors may be higher |    |             |  |
| 4   | WHEELS AND TIRES  |  |    |             |  |
|     |   | AMERICAN RACING CLASSIC TORQ THRUST VN215  |    | Standard    |  |
|     |   | One piece cast aluminum wheel, 17x8 front, 17x9.5 rear, w/ Nitto NT555G2 tires, 245/45ZR17 front, 275/40ZR17 rear  |    |             |  |
|     |   | □ UPGRADE TO 17x9.5 FRONT WHEELS   | \$ | 450         |  |
|     | _   | 17x9.5 front and rear, w/ Nitto NT555G2 tires, 275/40ZR17. NOTE: Reduced turning radius  | Φ. | 0.450       |  |
|     |   | AMERICAN RACING MAGNUM 500 VN500   | \$ | 2,450       |  |
|     |   | Two piece aluminum wheel, polished rim, black painted inserts, 17x8 front, 17x9.5 rear, w/ Nitto NT555G2 tires, 245/45ZR17 front, 275/40ZR17 rear  |    |             |  |
|     |   | ☐ UPGRADE TO 17x9.5 FRONT WHEELS   | \$ | 450         |  |
|     |   | 17x9.5 front and rear, w/ Nitto NT555G2 tires, 275/40ZR17. NOTE: Reduced turning radius  |    |             |  |
|     |   | AMERICAN RACING SHELBY VN427   | \$ | 2,450       |  |
|     |   | Two piece aluminum wheel, polished rim, gray painted inserts, 17x8 front, 17x9.5 rear, w/ Nitto NT555G2 tires, 245/45ZR17 front, 275/40ZR17 rear   |    |             |  |
|     |   | UPGRADE TO 17x9.5 FRONT WHEELS   | \$ | 450         |  |
|     |   | 17x9.5 front and rear, w/ Nitto NT555G2 tires, 275/40ZR17. NOTE: Reduced turning radius  | ø  | 4.750       |  |
|     |   | FORGELINE GZ3  Three pieces of uniform wheel 5064 T6 formed of uniform context head treated vim 47:40 w/ Nitto NTEEEC3   | \$ | 4,750       |  |
|     |   | Three-piece aluminum wheel, 6061-T6 forged aluminum center, heat-treated rim, 17x10, w/ Nitto NT555G2 tires, 275/40ZR17. NOTE: Reduced turning radius  |    |             |  |
|     |   | FORGELINE DS3  | \$ | 4,750       |  |
|     |   | Three-piece aluminum wheel, 6061-T6 forged aluminum center, heat-treated rim, 17x10, w/ Nitto NT555G2 tires, 275/40ZR17. NOTE: Reduced turning radius  |    |             |  |
|     |   | SHELBY 10-SPOKE by EVOD  | \$ | 6,750       |  |
|     |   | Two piece aluminum wheel, shot peened center, machined surfaces, polished rim, 17x8.5 front, 17x10 rear, w/ Nitto NT555G2 tires, 245/45ZR17 front, 275/40ZR17 rear   |    |             |  |
|     |   | UPGRADE TO 17x10 FRONT WHEELS  | \$ | 450         |  |
|     |   | 17x10 front and rear, w/ Nitto NT555G2 tires, 275/40ZR17. NOTE: Reduced turning radius  UPGRADE TO BILLET MACHINED CENTER (REQUIRED w/ AP RACING BRAKES)   | \$ | 1,200       |  |
|     |   | UPGRADE TO MICHELIN PILOT SPORT PS2 TIRES  | \$ | 1,200       |  |
|     |   | Michelin Pilot Sport PS2 tires, 275/40ZR17. Available with 17x9.5 and 17x10 front wheels only  | Ψ  | .,_00       |  |
|     |   | CUSTOM WHEEL/TIRE PACKAGE  | \$ | 1,000       |  |
|     | _   | Validation of fitment of your wheel and tire selection from any manufacturer. Does not include cost of wheels and tires  |    | ŕ           |  |
|     |   |  |    |             |  |
| (5) | HOOD FASTENERS  |  |    |             |  |
|     | Fiberglass hoods require outboard fasteners to reduce flex. |  |    |             |  |
|     |   | HOOD PINS, CABLE TYPE  |    | Standard    |  |
|     | _   | Old school, original type hood pins w/ 14" cable tether  | •  | 40.5        |  |
|     |   | FLUSH MOUNT HOOD LATCHES, POLISHED   | \$ | <i>4</i> 25 |  |
|     | _   | No more pinched fingers  | ø  | EOE         |  |
|     |   | LOCKING HOOD LATCHES, POLISHED   | \$ | 525         |  |
|     |   | Same appearance as the flush mount hood latches, with lock   |    |             |  |

# **INTERIOR**

All Revology interiors are cut, sewn, and fitted by hand. This old-world craftsmanship takes time but allows freedom to choose materials and colors to ensure not only a flawless appearance but also everyday durability. We use only automotive grade leather and other materials from premium OEMs including Porsche, Mercedes, and Ferrari.

| 6 | SEATS AND TRIM PANELS   |  |       |             |  |
|---|---|--|-------|-------------|--|
|   |   | STANDARD TRIM  |       | Standard    |  |
|   |   | Premium synthetic Nappa artificial leather covered front and rear seats, door panels, dash pad, console, quarter trim panels, and kick panels  □ BLACK |       |             |  |
|   |   | □ PARCHMENT  |       |             |  |
|   |   | PARTIAL NAPPA LEATHER TRIM   | \$    | 4,250       |  |
|   |   | Premium Nappa leather front and rear seating surfaces, door panels, and dash pad  ☐ BLACK  |       |             |  |
|   |   | FULL NAPPA LEATHER TRIM  | \$    | 7,250       |  |
|   |   | Premium Nappa leather front and rear seats, door panels, dash pad, console, quarter trim panels, kick panels, and leather or Alcantara™ headliner      |       |             |  |
|   |   | □ BLACK, PORSCHE SCHWARZ NAPPA □ PARCHMENT, MERCEDES SAVANNENBEIGE NAPPA   |       |             |  |
|   |   | SPECIAL COLOR INTERIOR   | \$    | 11,250      |  |
|   |   | Leather interior trimmed to match sample. Subject to approval by Shelby Licensing. Minimum 90 days lead time.  |       |             |  |
| 7 | OTHER SEAT AND TRIM PANEL OPTIONS   |  |       |             |  |
|   |   | ALCANTARA™ HEADLINER AND SUN VISORS  | \$    | 1,250       |  |
|   | _   | Genuine Alcantara ™ headliner and sunvisors. No additional charge w/ full Nappa leather trim option  |       |             |  |
|   |   | ALCANTARA™ HEADLINER, SUN VISORS, AND UPPER CARGO AREA   | \$    | 2,250       |  |
|   |   | Genuine Alcantara <sup>™</sup> headliner, sunvisors, and upper cargo area. No additional charge w/ full Nappa leather toption                          | rim   |             |  |
| 8 | DASH AND CONSOLE TRIM   |  |       |             |  |
|   | We  | use only authentic premium materials, laser cut from bulk sheet stock and precisely hand fit to ensure quality.  |       |             |  |
|   |   | BRUSHED ALUMINUM   |       | Standard    |  |
|   |   | High quality brushed aluminum interior accents applied to cluster, dash, and console surfaces  | DEOUE | -07 04075   |  |
|   |   | BESPOKE TRIM  We have the ability to create trim from a variety of materials   | REQUE | EST QUOTE   |  |
|   |   | ·  |       |             |  |
| 9 |   | RPET   |       |             |  |
|   | Revology carpet is hand trimmed to ensure a precise fit. Includes matching front and rear floor mats. Please note that not all colors are available in all styles |  |       |             |  |
|   |   | NYLON LOOP   |       | Standard    |  |
|   |   | Similar to that used on the vintage Mustangs, our nylon loop carpet is durable and easy to clean.  □ BLACK   |       |             |  |
|   |   | □ TAN CUT PILE   | \$    | <i>4</i> 25 |  |
|   | _   | This premium cut pile carpet is thick and luxurious, and adds a modern touch.  | •     | ,20         |  |
|   |   | □ BLACK □ TAN  |       |             |  |
|   |   | WOOL, SQUARE WEAVE   | \$    | 1,625       |  |
|   |   | 100% wool German square weave carpeting w/ hand-sewn leather seams and bindings.  □ BLACK □ TΔN  |       |             |  |

| 10     | STE  | EERING WHEEL   |             |            |
|--------|--|--|-------------|------------|
|        |  | 3-SPOKE WOOD RIM WHEEL   |             | Standard   |
|        |  | The standard wheel is a 15" diameter wood grain wheel with billet machined Revology "R" logo horn button.  |             |            |
|        |  | The wheel looks vintage but has a substantial, modern feel. Available in a medium brown Walnut or dark   |             |            |
|        |  | brown Espresso finish  WALNUT  |             |            |
|        |  | □ ESPRESSO   |             |            |
|        |  | 3-SPOKE LEATHER or ALCANTARA™ WRAPPED WHEEL  | \$          | 875        |
|        |  | 3-spoke wood rim wheel wrapped in Nappa leather or genuine Alcantara™  |             |            |
|        |  | □ NAPPA LEATHER  |             |            |
|        |  | □ ALCANTARA™   |             |            |
| 11)    | ENT  | FERTAINMENT  |             |            |
|        | All Revology 1967 Shelby GTs come standard with a 7" Pioneer touch screen head unit integrated into the console. This unit |  |             |            |
|        |  | ures Bluetooth, voice recognition, Apple Car Play, Android Auto, and a reverse camera. Standard equipment specific Committee of the control o | akers are   |            |
|        | _  | udio C2 coaxials, 4" front and 6.5" rear, mounted in the kick panels and quarter trim panels, respectively   | ø           | 2 500      |
|        |  | ADD JL AUDIO PREMIUM SOUND  Features JL Audio 4" + 0.75" C5 component speakers in front, 6.5" C5 coaxial speakers in the rear, trunk-  | \$          | 3,500      |
|        |  | mounted VX800/8i 800w Class D power amplifier and 10TW3-D8 10" enclosed subwoofer  |             |            |
|        |  | □ KICK PANEL MOUNTED FRONT SPEAKERS  |             | PKG        |
|        |  | Kick panel mounted speakers maintain the vintage appearance of door panel. Power windows are   |             |            |
|        |  | activated by switches integrated into the window crank handles   |             | 546        |
|        |  | DOOR PANEL MOUNTED FRONT SPEAKERS  |             | PKG        |
|        |  | Door panel mounted speakers are placed for optimal sound imaging. Power windows are activated by door-mounted rocker switches  |             |            |
|        |  | ADD NAVIGATION   | \$          | 825        |
|        | _  | Adds navigation  | ·           |            |
|        |  | ADD SIRIUS XM  | \$          | 675        |
|        |  | Adds Sirius XM. Requires subscription. Not available outside of US and Canada  |             |            |
| 12)    | OTE  | HER  |             |            |
| •••    | <u> </u>   | KPH SPEEDOMETER  | No co       | st option  |
|        |  |  |             | •          |
| _      |  | AND SECURITY   |             | 1. 24      |
|        |  | nicles are designed to meet passive safety standards that did not exist when the original Mustang entered the ma<br>Ie to meet current safety standards with a vehicle based on a 1960s design, Revology endeavors to enhance saf  |             |            |
|        |  | thin the constraints of the vehicle platform. Standard safety features include driver and passenger three-point se   |             |            |
|        |  | ing system, a collapsible steering column shaft, a fuel pump inertia switch, and a 16 gauge steel trunk floor, none  |             |            |
|        | able or<br>I below   | n the original Mustang. Theft protection is enhanced via a rolling code encrypted ignition switch. Optional safety   | features ar | е          |
| 110100 | DOIOV  | •  |             |            |
| 13)    | RES  | STRAINT SYSTEMS  |             |            |
|        |  | FRONT SEAT HEAD RESTRAINTS   | \$          | 825        |
|        |  | Adjustable front seat head restraints, covered in matching leather or vinyl  |             |            |
|        |  |  |             |            |
|        |  | DNAL   |             | .la:ala    |
|        |  | ehicles are designed to be fast, reliable, comfortable, and above all, fun to drive. We have worked very hard to c<br>balances acceleration, braking, steering, and ride quality. Although they are designed primarily for street use, th  |             |            |
|        |  | e with minimal modifications.  | .,          |            |
|        | <b>-</b> >//   | IALIOT.  |             |            |
| (14)   | _  | HAUST  |             |            |
|        |  | BORLA DUAL EXHAUST   |             | Standard   |
|        |  | Borla S-Type 2.5" stainless steel mandrel bent exhaust w/ polished tips deliver a soft burble at idle and are quiet with no drone at cruise speed  |             |            |
|        |  | BORLA PERFORMANCE SOUND DUAL EXHAUST   | No co       | ost option |
|        | _  | Borla ATAK® mufflers provide a more aggressive tone  |             | 2. 20011   |
|        |  | BORLA SIDE EXIT DUAL EXHAUST   | \$          | 500        |
|        | _  | Oval tips exit in front of rear wheels. Available with either S-Type or ATAK mufflers. Required when   |             |            |
|        |  | differential cooler option is selected   |             |            |

#### **DRIVELINE** The Revology 1967 Shelby GT500 comes with our heavy duty driveline as standard equipment. It features a Ford 8.8" rear with 4.10 ratio, Wavetrac™ torque-biasing limited slip differential, 33 spline axles, 1350 yoke, and Ford Performance finned aluminum differential cover TBD ADD DIFFERENTIAL COOLER Setrab heat exchanger and pump mounted to the right rear frame rail for max air flow. Differential temperature readout in cluster. Requires side exit exhaust (16)SUSPENSION AND BRAKES The Revology GT500 comes with our "R" SPEC chassis as standard equipment. The "R" SPEC front subframe is made from cast aluminum for high strength and light weight. A Moroso oil pan and external oil cooler allow the engine to be located lower in the subframe for a reduced center of gravity. The external oil cooler features a temperature sensor with the readout integrated in the instrument cluster. The front suspension is a double wishbone design with an adjustable sway bar and C6 Corvette hubs for durability and light weight. The rear is a 3link with torque arm and Panhard rod for lateral stability. The coilovers feature Hypertech springs and JRi nitrogencharged dampers. Standard front brakes feature 6-piston calipers and 12.88" slotted and ventilated rotors; rear brakes have 4 piston calipers and 13" slotted and ventilated rotors with integrated parking brake ADD AP RACING BRAKE PACKAGE \$ 11,775 Features AP Racing 6-piston front calipers and 355x34mm 72 vane front discs and 4-piston rear calipers and 340mmx28mm 60 vane rear discs with hybrid street/track pads and pad tensioners. Requires Forgeline or EVOD Shelby 10-spoke wheel with billet machined center ADD JRI DOUBLE ADJUSTABLE DAMPERS \$ 2.975 Nitrogen charged coilover damper, adjustable for compression and rebound. Front dampers have an integrated reservoir and rear dampers use a remote reservoir **ACCESSORIES** CAR COVER, INDOOR, PREMIUM MATERIAL \$ 595 Fitted indoor car cover, black Customweave w/ silver Revology logo CAR COVER, INDOOR \$ 395 Fitted indoor car cover, gray Dustop w/ black Revology logo \$ 495 CAR COVER, OUTDOOR

Fitted outdoor car cover, gray Superweave w/ black Revology logo