



RETAIL ORDER GUIDE - 2025 MODEL YEAR 1968 SHELBY GT500KR CONVERTIBLE

The "KR" in GT500KR stands for "King of the Road", and in 1968, it was. Powered by a 7.0-liter (428 cubic inch) Cobra Jet V8 putting out nearly 400 gross horsepower, the 1968 GT500KR was the fastest and most luxurious Mustang ever produced. For 1968, Ford ratcheted up its involvement in the Shelby program. Until then, Shelby models were built at Ford's San Jose assembly plant and shipped to Shelby's Venice, California facility for completion. Starting in 1968, all Shelby models were built at Ford's Metuchen, New Jersey plant and shipped to Ford supplier A.O. Smith in Ionia, Michigan for completion. The 1968 Shelby models were powerful and luxurious, and many collectors consider them the among the best built Shelby models in terms of quality. The Revology Shelby GT500KR captures the style and character of the original with improved performance, drivability, reliability, comfort, and safety.

STANDARD EQUIPMENT

EXTERIOR

- NEW, FORD-LICENSED ALL-STEEL BODY w/ SUBFRAME CONNECTORS AND X-BRACE FOR ADDED RIGIDITY
- POWER CONVERTIBLE TOP
- "SHELBY" AND "COBRA JET" BADGES
- "GT500KR" VINYL SIDE STRIPES
- · SHELBY SIDE SCOOPS
- SHELBY FIBERGLASS HOOD w/ SCOOP AND INTEGRATED LATCHES
- DUAL OUTSIDE MIRRORS, CHROME
- SHELBY 10-SPOKE ALUMINUM WHEELS, 17x8
- MICHELIN PILOT SPORT 4S HIGH PERFORMANCE TIRES, 245/45ZR17
- LED HEADLAMPS
- · HALOGEN FOG LAMPS
- LED PARK AND REVERSE LAMPS
- LED TAIL LAMPS w/ SEQUENTIAL TURN SIGNALS
- LED COURTESY LIGHTING IN EXTERIOR DOOR HANDLES
- HIDDEN ANTENNA
- 2.5" STAINLESS STEEL DUAL EXHAUST SYSTEM w/ QUAD TIPS

SAFETY/SECURITY

- FRONT THREE-POINT SEAT BELTS, RETRACTABLE, w/ INERTIA REEL, MEETS FMVSS 209 AND 302
- DUAL CIRCUIT BRAKING SYSTEM
- COLLAPSIBLE STEERING SHAFT
- FUEL PUMP INERTIA SWITCH
- ALUMINUM/COMPOSITE TRUNK FLOOR
- ROLLING CODE ENCRYPTED IGNITION SWITCH

INTERIOR

- AUTOMATIC HEADLAMP SYSTEM
- CFC-FREE AIR CONDITIONING
- · POWER WINDOWS
- FULL-LENGTH CONSOLE W/
 INTEGRATED 7" TOUCH SCREEN,
 ARMREST W/ EMBOSSED COBRA
 LOGO, HIDDEN POWER WINDOW
 SWITCHES, DOOR LOCK SWITCH, AND
 DUAL USB PORTS
- SHELBY DRIVER AND FRONT
 PASSENGER SPORT BUCKET SEATS
 W/ PERFORATED INSERTS, POWER
 FORE/AFT, MANUAL RECLINE
- DASH PAD, DOOR PANELS, AND INTERIOR TRIM PANELS COVERED IN PREMIUM SYNTHETIC NAPPA ARTIFICIAL LEATHER
- QUARTER CUT WALNUT VENEER INTERIOR ACCENTS
- MOLDED NYLON LOOP CARPETING w/ MASS BACKING
- CARPETED FLOOR MATS
- · TILT STEERING COLUMN
- WOOD RIM STEERING WHEEL W/ MACHINED REVOLOGY "R" LOGO HORN BUTTON
- 8000 RPM TACHOMETER
- BOOST GAUGE INTEGRATED IN CLUSTER
- LED INTERIOR LIGHTING w/ THEATER DIMMING AND DOOR COURTESY LAMPS
- DIGITAL MESSAGE CENTER
- · POWER DOOR LOCKS
- REMOTE KEYLESS ENTRY w/ PROXIMITY SENSOR
- · REMOTE TRUNK RELEASE
- PUSH BUTTON START
- MULTI-FUNCTION HEAD UNIT w/ AMPLIFIER, FOUR FOCAL ACCESS SERIES SPEAKERS, USB INPUT, AND BLUETOOTH®
- · REVERSE CAMERA
- · INTERVAL WIPERS
- · LED TRUNK LIGHTING
- FULLY LINED TRUNK COMPARTMENT

FUNCTIONAL

- FORD/ROUSH PERFORMANCE 5.0L TI-VCT DOHC "COYOTE" V8, SUPERCHARGED AND INTERCOOLED, RATED AT 710 HP / 610 LB.-FT. TORQUE
- HIGH CAPACITY EXTERNAL OIL COOLING SYSTEM
- HEAVY DUTY ENGINE COOLING
 PACKAGE w/ DUAL HIGH OUTPUT FANS
- HIGH TORQUE CAPACITY TWIN-DISC CLUTCH (M/T)
- CARBON FIBÉR DRIVESHAFT
- FORD 8.8" REAR END, 3.31 (A/T), 3.73 (M/T) w/ 31-SPLINE AXLES AND TRACTION-LOK™ LIMITED SLIP DIFFERENTIAL, FINNED ALUMINUM DIFFERENTIAL COVER, 1350 YOKE
- MOTORCRAFT AGM BATTERY w/ 760 CCA. TRUNK MOUNTED
- POWER FOUR WHEEL DISC BRAKES W/ 13.06" FRONT / 12.88" REAR SLOTTED AND VENTILATED ROTORS AND 6 PISTON FRONT/ 4 PISTON REAR CALIPERS
- HYDRAULICALLY ASSISTED POWER RACK AND PINION STEERING
- UNEQUAL LENGTH CONTROL ARM FRONT SUSPENSION w/ CAST ALUMINUM SUBFRAME
- 3-LINK REAR SUSPENSION w/ TORQUE ARM AND PANHARD ROD
- COILOVER SHOCKS w/ CONSTANT RATE SPRINGS
- ELECTRONICALLY CONTROLLED CALIPER-ACTUATED PARKING BRAKE
- · EMERGENCY TIRE INFLATION KIT
- REMOTE BATTERY CHARGE POSTS
- 4.3A 8-STAGE ON-BOARD TRICKLE CHARGER w/ REAR BUMPER-MOUNTED MAGNETIC CONTACT
- TIRE PRESSURE MONITORING SYSTEM (TPMS)
- 16.5 GÁLLON FUEL TANK w/ CHARCOAL CANISTER AND FUEL LINE CHECK VALVE
- POLYURETHANE BONDED WINDSHIELD W/ BAKED CERAMIC FRIT
- GAS CHARGED STRUT HOOD HINGE SUPPORTS

WARRANTY

- 1 YEAR/UNLIMITED MILES BUMPER-TO-BUMPER
- 2 YEARS/UNLIMITED MILES POWERTRAIN
- 5 YEARS/UNLIMITED MILES RUST AND CORROSION

Revology® is a registered trademark of Revology Cars LLC. Revology® and the Revology logos and images are trademarks of Revology Cars LLC. SHELBY®, CARROLL SHELBY®, GT-350®, GT-350®, GT-350N®, GT-350N®, GT500® and KR® are registered trademarks and/or trade dress of Carroll Shelby and Carroll Shelby Licensing, and are used under license. Ford® and Mustang® and registered trademarks and/or trade dress of Ford Motor Company, and are used under license.

MODELS, PACKAGES AND OPTIONS

| MOI | DEL | | | | | |
|----------------|---|---|-----------|---|--------------|-------------|
| | | 38 SHELBY GT500KR CONVERTIBLE | | | \$ | 338,500 |
| _ | 710 HP, 610 LB-FT 5.0L Ti-VCT DOHC V8 supercharged engine | | | | | |
| | | | | | | |
| | | MISSION | | | | Ctondord |
| | | 6XL 6-speed close ratio manual transmission | ia tuanan | siania n | ¢ | Standard |
| | TUR | R80 10-speed electronically controlled automat | ic transm | nission | \$ | 1,595 |
| | | | | | | |
| EXT | ERI | IOR | | | | |
| FXTE | RIC | DR COLORS | | | | |
| The R | evolo ate-fi | ogy paint process consists of a BASF phospho ree epoxy primer, Glasurit acrylic primer surfac appearance and durability. | | | | |
| - 🗆 | SO | LID | | | No add | dt'l charge |
| | | CANDY APPLE RED (T) M2008 ¹ | | ROYAL MAROON (B) M30591 | | J |
| | | MEADOWLARK YELLOW (W) M31201 | | WIMBLEDON WHITE (M) M16191 | | |
| | | RAVEN BLACK (A) M17241 | | | | |
| | ME | METALLIC | | | | |
| | | ACAPULCO BLUE MET (D) M30771 | | LIME GOLD MET (I) M20411 | | |
| | | BRITTANY BLUE MET (Q) M16241 | | MEDIUM GRAY MET (6) M1900 | | |
| | | DARK BLUE MET (2) M1903 | | PRESIDENTIAL BLUE MET (X) M3061 | | |
| | | GULFSTREAM AQUA MET (F) M3065 | | SUNLIT GOLD MET (Y) M30731 | | |
| | | HIGHLAND GREEN MET (R) M30671 | | | | |
| | PR | EMIUM | | | \$ | 1,650 |
| | | AGATE GRAY POR_M7S | | METEOR GRAY MET POR_M7W | | |
| | | JET BLACK MET POR_C9X | | NEBULA GRAY PEARL LEX_1H9 | | |
| | | LAVA ORANGE POR_M2A | | ROSSO CORSA FER 322 | | |
| - 🗆 | SP | ECIAL | | | \$ | 3,850 |
| | | CARRERA WHITE MET POR_S9R | | MIAMI BLUE POR_M5C | | |
| | | CHALK POR_M9A | | RAPID RED (D4) M7444 | | |
| | | LIQUID BLUE PN2BE (+\$1,000) | | | | |
| ¹0EM | GT50 | 0KR color | | | | |
| ا ۱ م | 2N/S | STRIPES | | | | |
| LeMai and a | ns str | ripes were a dealer-installed option on the 196 If to the front fascia, hood, cowl, roof, trunk fille coat, three coats of gloss clear are applied, lea | r panel, | decklid, taillamp panel, rear valance, and rear | bumperette | |
| . 🗆 | NΩ | LeMANS STRIPE | | | | Standard |
| | | INTED LeMANS STRIPES | | | \$ | 6.750 |
| | | ALPINE WHITE BMW_300 | | RAVEN BLACK (A) M1724 | - | -, |
| | | GUARDSMAN BLUE (F) M1622 | | WIMBLEDON WHITE (M) M1619 | | |

PAINTED LeMANS STRIPES, SPECIAL COLOR

8,200

\$

CONVERTIBLE TOP

All Revology Mustang convertibles are equipped with a power top that can be activated at speeds below 5 mph. Available top materials include original vinyl and modern canvas.

| | VINYL TOP BLACK CONTROL WILLIE | No addt'l charge |
|-----|--|------------------|
| l. | □ OXFORD WHITE CANVAS TOP □ BLACK □ PARCHMENT □ NAVY □ BURGUNDY | \$ 900 |
| WHE | EELS | |
| r 🗆 | SHELBY 10-SPOKE LW10, 17x8 | Standard |
| | TORQ THRUST VN215, 17x8 | No addt'l charge |
| | TORQ THRUST VN215, 17x9.51 | \$ 2,250 |
| | MAGNUM 500 VN501, 17x8 | No addt'l charge |
| | MAGNUM 500 VN500 2PC, 17x9.51 | \$ 4,850 |
| | SHELBY VN427 2PC, 17x9.51 | \$ 5,500 |
| L | SHELBY 10-SPOKE 2PC, MACHINED CENTER, 17x9.512 | \$ 8,500 |
| | ¹ Vehicles equipped with 17x9.5 front wheels have a reduced turning radius ² Delayed availability | |
| INT | ERIOR | |

INTERIOR

SEATS AND TRIM

Revology Shelby GT seats are designed and built in-house to deliver modern comfort and lateral support while providing an authentic appearance. Front seats are equipped with power fore/aft and manual recline. Seats and interior trim panels are covered in premium OEM automotive grade vinyl or OEM automotive leather which offers superior abrasion resistance and protection from sun loading.

| PREMIUM VINYL Premium OEM automotive grade vinyl covered front and rear seats, door panels, dash pad, console, | | | | | Standard | |
|--|--|---------|--------------------------------------|------|----------|--|
| qua | rter trim panels, and kick panels. | | | | | |
| | BLACK | | RED | | | |
| | IVORY | | PARCHMENT | | | |
| PAI | RTIAL NAPPA LEATHER | | | \$ | 6,750 | |
| Prei | mium Nappa leather front and rear seating surfaces, do | or pane | els, and dash pad. | | | |
| | BLACK | | | | | |
| | | | | | | |
| FUI | LL NAPPA LEATHER | | | \$ | 9,450 | |
| Premium Nappa leather front and rear seats, door panels, dash pad, console, quarter trim panels, headliner, and kick panels. | | | | | | |
| | BLACK, PORSCHE SCHWARZ | | LIGHT BEIGE, MERCEDES HELLBEIGE | | | |
| | DARK BROWN, MERCEDES NUBBRAUN | | MEDIUM TAN, FERRARI CUOIO (+\$1,200) | | | |
| | BURGUNDY, MERCEDES SUNSETROT | | NAVY BLUE, PORSCHE NACHTBLAU | | | |
| | CHARCOAL GRAY, PORSCHE ACHATGRAU | | PARCHMENT, MERCEDES SAVANNENBE | EIGE | | |
| | IVORY, MERCEDES PORZELLAN | | RED, PORSCHE FLAMENCOROT | | | |

| | FULL NAPPA LEATHER, LIGHT BEIGE, IVORY OR PARCHMENT W/ ACCENT | Г \$ | : 1 | 0,450 | | | | |
|-----------------------|---|---|---------------------------|-------|--|--|--|--|
| | Full Nappa leather with accent color used for dash pad and carpet. □ | | | | | | | |
| | PRIMARY COLOR | | | | | | | |
| | ☐ LIGHT BEIGE, MERCEDES HELLBEIGE | | | | | | | |
| | □ IVORY, MERCEDES PORZELLAN | | | | | | | |
| | □ PARCHMENT, MERCEDES SAVANNENBEIGE | | | | | | | |
| | ACCENT COLOR | | | | | | | |
| | □ BLACK, PORSCHE SCHWARZ | | | | | | | |
| | □ BURGUNDY, MERCEDES SUNSETROT | | | | | | | |
| | □ DARK BROWN, MERCEDES NUBBRAUN | | | | | | | |
| | □ NAVY BLUE, PORSCHE NACHTBLAU | | | | | | | |
| | CUSTOM INTERIOR CONFIGURATION | \$ | | 1,500 | | | | |
| | Create your own bespoke interior environment using standard production materials and colors of non-standard colors and/or materials to further personalize your Revology Mustang . Option production cost; it does not include incremental materials cost, if any. | | _ | e | | | | |
| CAF | RPET | | | | | | | |
| Choc | use from molded nylon loop or 100% wool German square weave carpet. Includes matching front a will match the dash pad color. | and rear floor mats | s. Carp | et | | | | |
| Γ 🗆 | NYLON LOOP | S | Standard | | | | | |
| | Similar in appearance to that used by Ford in the 1960s, our molded nylon loop carpet is composite with 20 oz. of yarn per square yard for a plush, premium feel. Molded to the shape of the floor to features a 45 mil thick Ethylene Vinyl Acetate (EVA) mass backing material to reduce heat and | o ensure a precise noise. | fit, it | | | | | |
| - 0 | WOOL, SQUARE WEAVE | \$ | 3,50 | 10 | | | | |
| | 100% wool German square weave carpeting w/ hand-sewn leather seams and bindings repressultimate in appearance, craftsmanship, and durability. | ints the | | | | | | |
| OTH | IER SEAT AND TRIM OPTIONS | | | | | | | |
| | evology Shelby GTs feature perforated seat and door panel inserts. The European-sourced leather process used by Porsche. | er is perforated usi | ng the | | | | | |
| | CONTRAST STITCHING | \$ | ; | 1,100 | | | | |
| | Double topstitch seam is sewn in your choice of contrasting thread color. Contrast stitch is appli trim panels, and shifter boot (manual transmission only). | ied to dash, seats, | quartei | - | | | | |
| INS | TRUMENTS AND DASH TRIM | | | | | | | |
| appe MPH interi | Revology 1968 Shelby GT is equipped with a digital instrument cluster with analog dials that authe arance of the original cluster, yet with significantly advanced readability and functionality. The gau gradations. A speedometer gradated in KPH is available as an option. The GT interior features go or accents, consistent with but elevating the theme of the optional 1968 Deluxe interior. Laser cut sely hand fit to ensure quality, the Walnut trim is applied to the instrument cluster bezel, dash, and | ige faces are black enuine quarter cut from bulk sheet st | with Walnut ock and | | | | | |
| | KPH SPEEDOMETER | \$ | ; | 300 | | | | |
| _ | Primary readout in KPH, secondary in MPH | ć | | 250 | | | | |
| | CARROLL SHELBY SIGNATURE GLOVE BOX DOOR In his later years, Carroll was a prolific signer of Shelby glove boxes and dash panels, which he childrens' charity, the Carroll Shelby Foundation. Now you can have a reproduction of Carroll's Shelby passenger side dash panel. The work is performed by Shelby American and the proceed | signature on your | y for his Revolog | | | | | |
| STE | ERING WHEEL | | | | | | | |
| - - | 3-SPOKE WOOD RIM WHEEL | | Star | ndard | | | | |
| | The standard wheel is a 15" diameter Walnut wood grain wheel that looks vintage but has a substantial, modern feel. | | | | | | | |
| L | 3-SPOKE LEATHER WRAPPED WHEEL | \$ | | 1,350 | | | | |
| | 3-spoke wood rim wheel wrapped in Nappa leather. | | | | | | | |

| STE | ERING WHEEL HORN BUTTON REVOLOGY "R" LOGO Revology "R" logo horn button, machined from aluminum billet. SHELBY COBRA LOGO Shelby Cobra logo, plastic insert. | No add | Standard |
|-------|--|----------|-----------|
| The s | DIO AND COMMUNICATION standard audio system features a multi-function head unit integrated into the center stack. This unit feature en, Bluetooth, Apple Car Play, Android Auto, and USB inputs. A reverse camera is standard. Standard equi focal Access coaxials, 4" front and 6.5" rear, mounted in the kick panels and rear trim panels, respectively. | | |
| TOU | ICH SCREEN DISPLAY + REVERSE CAMERA | | Standard |
| | eer seven inch touch screen w/ Bluetooth, voice recognition, Apple Car Play, Android Auto, and reverse | | |
| | EXPORT HEAD UNIT | \$ | 1,150 |
| П | ADD NAVIGATION | \$ | 950 |
| | ADD SIRIUS XM | \$ | 750 |
| AUD | DIO OUTPUT | | |
| r 🗆 | STANDARD AUDIO SYSTEM | | Standard |
| | Focal Access kick panel-mounted 4.0" and rear trim panel-mounted 5.0" coaxial speakers. | | |
| ᆫ _ | PREMIUM SOUND COMPONENT SYSTEM | \$ | 4,950 |
| | Focal K2 component speakers w/ kick panel- or door-mounted 4.0" woofer and A-pillar-mounted 0.75" tweeter; rear trim panel-mounted 5.0" K2 coaxial speakers; trunk-mounted Mosconi/Gladen One 90.8 DSP 720w 8 channel Class AB power amplifier; JL Audio 10TW3-D8 10" enclosed subwoofer. | | |
| _ | ☐ KICK PANEL MOUNTED FRONT SPEAKERS | Incl. ir | n package |
| | 4.0" woofers are mounted in the kick panel for an OEM door panel appearance. Power windows are activated by switches in the window crank handles and by rocker switches on the console surface. | | |
| L | DOOR PANEL MOUNTED FRONT SPEAKERS | \$ | 850 |
| | 4.0" woofers are mounted in the door panel for optimal sound imaging. Power windows are activated by console-mounted rocker switches only. | | |
| FUN | NCTIONAL | | |
| RES | TRAINT SYSTEMS | | |
| | FRONT SEAT HEAD RESTRAINTS | \$ | 1,000 |
| | Adjustable front seat head restraints, covered in matching leather or vinyl. | | |
| TIRE | ES | | |
| r 🗆 | STANDARD - HIGH PERFORMANCE SUMMER | | Standard |
| | Michelin high performance summer tires are standard equipment. The 245/45ZR17 Pilot Sport 4S is fit to all cars equipped with 17x8 wheels and the 275/40ZR17 Pilot Sport PS2 to all cars equipped | | |

with 17x9.5 wheels.

☐ OPTIONAL - RUN FLAT

Optional tire for 17x8" wheels only. 245/45RF17.

\$

1,650

| EXH | AUST SYSTEM | | | | | |
|-------|--|------------------|------------------|-------|-------------|--|
| | DUAL EXHAUST | | | | Standard | |
| _ | 2.5" stainless steel dual exhaust w/ matched red ☐ QUAD TIPS | sonators. | | | Standard | |
| | Our quad tips are slightly larger than the o | | | | | |
| L | ☐ 4.0" HIGH FLOW TIPS | | | No ad | dt'l charge | |
| | Borla 4.0" polished tips offer reduced back | kpressure vs. th | e quad tips. | | | |
| L 🗆 | BORLA™ PERFORMANCE SOUND DU | AL EXHAUS | TSYSTEM | \$ | 500 | |
| | Low restriction T-304 stainless steel 2.5" mandr 4.0" exhaust tips, ATAK™ mufflers and 10" reso aggressive tone with no drone at steady state of | nators for reduc | - | м | | |
| The F | /ELINE Revology Shelby GT500KR comes standard with Traction-Lok TM limited slip differential, 1350 yok (M/T). | | | | | |
| BRA | KES | | | | | |
| | " front and 12.88" rear ventilated and slotted rotor g performance and fade resistance with excellen | | | | | |
| - П | GRAY ANODIZED CALIPERS | | | | Standard | |
| - 🗆 | PAINTED CALIPERS | | | \$ | 1,650 | |
| | Competition Red, Competition Blue, and Gloss Black calipers feature a silver logo; LeMans Yellow calipers feature a black logo. | | | | | |
| | □ COMPETITION RED | | COMPETITION BLUE | | | |
| | ☐ GLOSS BLACK | | LeMANS YELLOW | | | |
| ОТН | ER | | | | | |
| | EXPORT LIGHTING PACKAGE - 1968 SHELBY | | | | 600 | |
| | Includes rear fog lamp integrated into the revers amber turn signals. DOES NOT INCLUDE AME for verifying compliance with local regulations. | | | | | |